

MATERIAL SAFETY DATA SHEET

Product name	QuelStop CE Marked Intumescent Acrylic Sealant	
Product Code(s)	QSS310, QSS600	
Revision Date	01/01/2024	
Revision number	04	

Section 1: Identification of the substance/mixture and of the company / undertaking

1.1. Product identifier

Product name	QuelStop CE Marked Intumescent Acrylic Sealant	
Product Code	QSS310, QSS600	
Type of Product	Sealant	
Product group	Trade product	
Colour	White	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category	Professional use
Industrial/ professional use spec	For professional use only
Use of Substance/Mixture	Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company Name	Quelfire Limited	
	Springvale Industrial Estate	
	Millbuck Way	
	Sandbach	
	CW11 3HT	
Tel	0161 928 7308	
Fax	0161 924 1340	
Email	technical@quelfire.co.uk	

1.4. Emergency telephone number

Emergency telephone number	0161 928 7308 (Office hours only)
Lineigency telephone number	0101 320 7300 (011100 110013 0111)

Section 2: Hazards Identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Not Classified
Adverse physicochemical, human health and environmental effects	To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Label according to Regulation (EC)	EUH205 – Contains epoxy constituents. May produce an allergic reaction.	
No. 1272/2008 [CLP]	EUH208 – Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	
EUH-statements	and 2-methyl-2H-isothiazol-3-one	
	(3:1). May produce an allergic reaction.	
	EUH210 – Safety data sheet available on request.	

① 0161 928 7308	⊠ sales@quelfire.co.uk	ூ www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

2.3. Other hazards

Other hazards which do not result in classification: Dust formation.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

Section 3: Composition/information on ingredients

3.1. Substances

Not applicable		

3.2. Mixtures

Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium Carbonate	(CAS-No.) 471-34-1	30 – 50	Not classified
	(EC-No.) 207-439-9		
Aluminium Hydroxide	(CAS-No.) 21645-51-2	10 – 30	Not classified
	(EC-No.) 244-492-7		
	(REACH-no) 01-2119529246-39		
Titanium Dioxide	(CAS-No.) 13463-67-7	< 1	Carc. 2, H351
	(EC-No.) 236-675-5		
	(EC Index-No.) 022-006-00-2		
	(REACH-no) 01-2119489379-17		
1,2-benzisothiazol-3(2H)-	(CAS-No.) 2634-33-5	< 1	Acute Tox. 4 (Oral), H302
one; 1,2-benzisothiazolin-3-	(EC-No.) 220-120-9		Skin Irrit. 2, H315
one	(EC Index-No.) 613-088-00-6		Eye Dam. 1, H318
			Skin Sens. 1, H317
			Aquatic Acute 1, H400
Reaction mass of 5-chloro-	(CAS-No.) 55965-84-9	< 1	Acute Tox. 2 (Inhalation), H330
2-methyl-2H-isothiazol-3-	(EC Index-No.) 613-167-00-5		Acute Tox. 2 (Dermal), H310
one and 2-methyl-2H- isothiazol-3-one (3:1)			Acute Tox. 3 (Oral), H301
150(111a201-5-011e (5.1)			Skin Corr. 1C, H314
			Eye Dam. 1, H318
			Skin Sens. 1A, H317
			Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:		
1,2-benzisothiazol-3(2H)-one; 1,2-	(CAS-No.) 2634-33-5	(0.05 ≤C ≤ 100) Skin Sens. 1, H317
benzisothiazolin-3-one	(EC-No.) 220-120-9	
	(EC Index-No.) 613-088-00-6	
Reaction mass of 5-chloro-2-methyl-2H-	(CAS-No.) 55965-84-9	(0.0015 ≤C ≤ 100) Skin Sens. 1A,
isothiazol-3-one and 2-methyl-2H-	(EC Index-No.) 613-167-00-5	H317
isothiazol-3-one (3:1)		(0.06 ≤C < 0.6) Skin Irrit. 2, H315
		(0.06 ≤C < 0.6) Eye Irrit. 2, H319
		$(0.6 \le C \le 100)$ Skin Corr. 1C, H314
		(0.6 ≤C ≤ 100) Eye Dam. 1, H318

Comments: Titanium dioxide

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m.

Full text of H- and EUH-statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact	Wash skin with plenty of water
Eye contact	Rinse eyes with water as a precaution
Ingestion	Call a poison centre or a doctor if you feel unwell.
Inhalation	Remove person to fresh air and keep comfortable for breathing

4.2. Most important symptoms and effects, both acute and delayed

Skin contact	There may be mild irritation at the site of contact
Eye contact	There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.
Ingestion	There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate/special treatment	Treat symptomatically
-----------------------------	-----------------------

Section 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Water spray. Dry Powder. Foam. Carbon Dioxide
------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products	Thermal decomposition generates: Carbon dioxide. Carbon monoxide.
in case of fire	Toxic fumes may be released.

5.3. Advice for fire-fighters

Advice for fire-fighters	Do not attempt to act without suitable protective equipment. Self-
	contained breathing apparatus. Complete proactive clothing.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For Emergency responders	Do not attempt to act without suitable protective clothing - see section 8 'Exposure controls/ personal protection'.
For Non-emergency responders	Mark out the contaminated area with signs and prevent access to unauthorised personnel.
	Turn leaking containers leak-side up to prevent the escape of liquid.
	Ventilate spillage area

6.2. Environmental precautions

Environmental	Avoid release to the environment

6.3. Methods and materials for containment and cleaning up

① 0161 928 7308	⊠ sales@quelfire.co.uk	് www.quelfire.co.uk
------------------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Clean-up procedures	Ventilate spillage area. Shovel or sweep up and put in a closed container for disposal. Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Prevent the product from entering drains or confined areas.
Other Information	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Reference to other sections	Refer to section 8 'Exposure controls/ personal protection' & Section 13
	'Disposal considerations'.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements	Ensure good ventilation of the workstation. Wear personal protective equipment. Avoid dust formation
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Store in cool, well-ventilated area. Keep container tightly closed.
Incompatible products	Strong acids

7.3. Specific end use(s)

Specific end use(s)	No data available
specific end ase(s)	110 data dianable

Section 8: Exposure controls/personal protection

8.1. Control parameters

Calcium Carbonate (471-34-1)		
Local name: Calcium carbonate (Limestone, Marble)		
WEL TWA (OEL TWA) [1] 10 mg/m³ total inhalable		
4 mg/m³ respirable		
WEL STEL (OEL STEL)	4 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Aluminium Hydroxide (21645-51-2)	
WEL TWA (OEL TWA) [1]	10 mg/m³ total dust
	4 mg/m³ respirable dust

Titanium Dioxide (13464-67-7)		
Local name: Titanium dioxide		
WEL TWA (OEL TWA) [1]	4 mg/m³ respirable	
	10 mg/m³ total inhalable	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.2. Exposure controls

8.2.1 Appropriate engineering controls:

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Ensure good ventilation of the work station

8.2.2 Personal protection equipment

Dust formation: dust mask. Gloves

Personal protective equipment symbol(s):









8.2.2.1 Eye and Face protection

Eye protection:			
Safety glasses			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166

8.2.2.2 Skin protection

Skin and body protection:	
Wear suitable protective clothing	

Hand protection:					
Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable					EN ISO 374
gloves					

8.2.2.3 Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4 Thermal Hazards

No additional information available

8.2.3 Environmental exposure controls

Avoid release to the environment

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	White
Odour	Acrylic-like
Odour Threshold	No Data Available

① 0161 928 7308	⊠ sales@quelfire.co.uk	ণী www.quelfire.co.uk
------------------------	------------------------	-----------------------



MATERIAL SAFETY DATA SHEET

рН	6.5 - 9
Relative evaporation rate (butylacetate=1)	No Data Available
Melting point	Not applicable
Freezing point	No Data Available
Boiling point	No Data Available
Flash point	No Data Available
Auto-ignition temperature	No Data Available
Decomposition temperature	No Data Available
Flammability (solid, gas)	Not applicable
Vapour pressure	No Data Available
Relative vapour density at 20°C	No Data Available
Relative density	No Data Available
Density	1.56 – 1.66 g/cm³
Solubility	No Data Available
Partition coefficient n-octanol/ water (Log Pow)	No Data Available
Viscosity, Kinematic	No Data Available
Viscosity, dynamic	300000 – 900000 cP
Explosive properties	No Data Available
Oxidising properties	No Data Available
Explosive limits	No Data Available

9.2. Other information

No data available

Section 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (See section 7)

10.5. Incompatible materials

Oxidising agents. Strong acids

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition should not be produced.

Section 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified

① 0161 928 7308	⊠ sales@quelfire.co.uk	ூ www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Acute toxicity (inhalation)	Not classified

Calcium Carbonate (471-34-1)		
LD50 oral rat	>5000 mg/kg bodyweight Animal: rat, Animal sex: female, guideline: OECD Guideline 420 (acute Oral toxicity – Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity – Fixed Dose Procedure)	
LC50 inhalation – Rat	>3 mg/l air Animal: rat Guideline OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (inhalation)), Guideline: EPA OPPTS 870.1300 (Acute Inhalation Toxicity)	
рН	8.5 – 9.5	

Aluminium Hydroxide (21645-51-2)		
LD50 oral rat	> 2000 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.3 mg/l	
рН	9	

Titanium Dioxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)	
LC50 Inhalation - Rat	> 6.8 mg/l/4h	
рН	6 - 8	
Skin corrosion/irritation	Not classified pH: 6.5 – 9	
Serious eye damage/irritation	Not classified pH: 6.5 – 9	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	

Aluminium Hydroxide (21645-51-2)		
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Viscosity, kinematic	Not applicable	

Calcium carbonate (471-34-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	Not classified
Viscosity, kinematic	Not applicable

11.2 Information on other hazards

11.2.1 Endocrine disputing properties

Adverse health effects caused by endocrine disrupting	Based on available data, the classification criteria are
properties	not met

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

11.2.2 Other information

Section 12: Ecological information

12.1. Toxicity

Ecology – general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment
Hazardous to the aquatic environment, short term (acute)	Not classified
Hazardous to the aquatic environment, long term (chronic)	Not classified
Not rapidly degradable	

Calcium Carbonate (471-34-1)		
LC50 - Fish [1]	>10000	
EC50 - Crustacea [1]	>1000	
EC50 72h - Algae [1]	>200 mg/l	

Titanium Dioxide (13463-67-7)	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l Test organisms (species):
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species):
	Pseudokirchneriella subcapitata (previous names:
	Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	5 mg/l Test organisms (species): Daphnia magna
	Duration: '21 d'
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna
	Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

QuelStop Intumescent Acrylic Sealant	
Bioaccumulative potential	Not potentially Bioaccumulative
Calcium Carbonate (471-34-1)	
Partition coefficient n-octanol/water (Log Pow)	<1

12.4. Mobility in soil

Ecology - soil	Readily absorbed into soil.
----------------	-----------------------------

12.5 Results of PBT and vPvB assessment

This substance/ mixture does not meet the PBT criteria of REACH Regulation, annex XIII

12.6. Other adverse effects

No additional information available	
-------------------------------------	--

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Section 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Waste treatment methods	Dispose of contents/ container in accordance with licensed collector's sorting instructions
Additional information	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging contaminated by the product: Disposal must be done according to official regulations. Non-contaminated packages may be recycled.
European List of Waste (LoW) code	08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

Section 14: Transport information

In accordance with ADR/ RID/ IMDG/ IATA/ ADN		
ADR	Not Applicable	
RID	Not Applicable	
IMDG	Not Applicable	
IATA	Not Applicable	
ADN Not Applicable		
No supplementary information available		

14.6. Special Precautions for user

Overland Transport	Not Applicable
Transport by sea	Not Applicable
Air transport	Not Applicable
Inland waterway transport	Not Applicable
Rail transport	Not Applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Not Applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 th July 2012 concerning the export and import of hazardous chemicals
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 th June 2019 on persistent organic pollutants.

15.2. Chemical Safety Assessment

Chemical Safety Assessment	No chemical safety assessment has been carried out
----------------------------	--

Section 16: Other information

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Indication of cha	inges:		
1.2	Additional information	Modified	Modification of use descriptor
2.2	EUH-statements	Added	EUH205 Added
2.3	Additional information	Added	Added information regarding dust formation
3.2	Composition/information on ingredients	Added	Added information regarding isothiazolinones and Titanium dioxide
4.2	Symptoms/effects after eye contact	Modified	
4.2	Symptoms/effects after ingestion	Modified	
4.2	Symptoms/effects after skin contact	Modified	
5.2	Additional information	Added	Added information regarding pyrolysis products
6.3	Additional information	Added	Added information regarding the disposal of solid spills
8.1	Additional information	Added	Titanium Dioxide WELs added
8.2	Additional information	Added	Added required EN standards for PPE
12.4	Mobility in soil	Modified	Added information regarding liquid product being absorbed into soil
13.1	Additional information	Added	EU LoW code and additional disposal information

Abbrevia	Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of dangerous goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological Limit Value	
CAS-No.	Chemical Abstract Service Number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 272/2008	
DMEL	Derived Minimal Effect Level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community Number	
EN	European Standard	
IATA	International Air Transport Association	

① 0161 928 7308	⊠ sales@quelfire.co.uk	ি www.quelfire.co.uk
-----------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard,
	Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic
	Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH205	Contains epoxy constituents. May produce an allergic
	reaction.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-
	benzisothiazolin-3-one (2634-33-5), reaction mass of 5-
	chloro2-methyl-2H-isothiazol-3-one and 2-methyl-2H-
	isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C

① 0161 928 7308	⊠ sales@quelfire.co.uk	ி www.quelfire.co.uk
------------------------	------------------------	----------------------



MATERIAL SAFETY DATA SHEET

Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

The Classification complies with ATP 12

Other information	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
Legal disclaimer	This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore be construed as guaranteeing any specific property of the product.